

# Speed



## **SEAT & BACKREST**

---

Backrest: black or white polypropylene load-bearing structure, equipped with an adjustable lumbar support covered in Goal New type soft membrane.

Seat: Made with FSC beech plywood interior and black polypropylene underseat. Padding in Non-deformable polyurethane rubber thickness 50 mm. Double-stitched and lined.

## **ARMRESTS**

---

- Fix armrests
- Height-adjustable arms in black or white Nylon
- Adjustable 3D armrests with soft polyurethane pad available in both black and white with black pad

## **MECHANICS**

---

SPEED has a black painted aluminum Synchron mechanism.



1. Seat height adjustment
2. Free back tilt
3. 5 swing positions lockable
4. Voltage adjustment flyer
5. Seat slide (Optional)

## **BASE**

---

It is available with three type of bases:

“TREND” 5 polish aluminum spokes on castors [d. 680 mm]

“TREND” a 5 black PP spokes on castors Nero [d. 680 mm]

Standard black double tread nylon wheels with diameter 65mm

Optional with the same fixing pin diameter diam 11mm:

- Wheeled wheels, black (R06) or grey with chrome sump (R07)
- Black wheeled wheels and self breaking (R06A),
- Rubberized wheels “pole” with central hole
- Black nylon feet (R08)

# Speed

Measures	Seat height	Total height	Width	Depth
cm	45/55	102/112	68/48	68/43

---

## CERTIFICATES

- IIM approval
- Uni EN 1335 A : 2020
- CAM
- REMADE

---

## Disassembly

All products have been designed in such a way as to allow them to be assembled at the end of their useful life, so that their parts and components can be reused, recycled or recovered for energy purposes.

---

## Warranty & safety

QUINTI guarantees that the products will maintain their characteristics for 6 years from delivery, without prejudice to normal wear and tear and provided that they are used according to the instructions provided. QUINTI will replace any product found to be non-compliant with the said warranty without incurring any other liability whatsoever. E' excluding the application of the warranty on external components, accessories or materials supplied by the buyer and applied to the products for the purpose of personalizing them. For optimal product maintenance and to maintain the characteristics of the materials from which they are made unchanged, some simple care is necessary.

All sessions offered are SAFE according to the provisions of EU Regulation 2023/988, on General Product Safety (GPSR), strengthened by UNI EN certifications.

The company does not hold itself liable if it is misused (Standing up or using products such as ladders and swings that could compromise the operation and safety of the user. To lift or move the product grip firmly on the supporting structure. The product must not be subjected to off-center loads, it was designed to be used under normal conditions of support on 4 legs or on the base).

---

## Use & maintenance

For optimal product maintenance and to maintain the characteristics of the materials from which they are made unchanged, some simple care is necessary.

### THE FABRICS

Cleaning: See the maintenance and washing tips on the fabric tab of the color chart. Use: Careful use is advised as they can be torn or cut.

### THE LEATHERS

Cleaning: Clean with a damp white cloth soaked in water only. Use quality leather cleaning products by carefully following the instructions of the cleaning product manufacturer. If in doubt, it is recommended to test the product on a part hidden from view to verify the result, waiting at least 24 hours for any problems to arise.

Use: Remember that the skin is a delicate material therefore it is recommended to take care during use.

### METALS

Cleaning: Both steel or aluminum metal surfaces, as well as painted surfaces, should be cleaned with a damp, soft cloth soaked in hot water. For more stubborn stains, you can dilute liquid neutral soap in water in moderation.

Always dry after cleaning with a soft cloth or chamois leather. Do not use creams and pastes to clean steel, do not use chlorine, do not use bleach and other harsh detergents. It is not recommended to use abrasive pastes, scouring pads, and abrasive sponges that can scratch metal surfaces. Use: Watch out for stains on foods such as coffee, cola, fruit juices that can leave permanent stains on surfaces

# Speed

## Upholsteries

### LASER

#### CATEGORY 2

560 gr/ml  
100% Poliestere FR  
Classe 1  
80.000 +/- 10% cicli Maltindale

### ECOPELLE

#### CATEGORY 2

630 g/lin.m  
83% PVC 17% Sintetico  
Classe 1  
30.000 +/- 10% cicli Maltindale

### JET

#### CATEGORY 3

365 +/- 5% g/lin.m  
100% Poliestere FR  
Classe 1  
80.000 +/- 10% cicli Maltindale

### ONE RECICLE

#### CATEGORY 3

525 gr/mt2  
100% recycled poliester  
CLASSE 1IM  
100.000 CICLI

### LYRA

#### CATEGORY 3

550 g/lin.m  
100% Poliestere  
Classe 1  
60.000 +/- 10% cicli Maltindale

### CHILI

#### CATEGORY 3

470 gr/ml  
100% post-consumer recycled polyester  
- 60.000 +/- cicli Maltindale

### DREAM

#### CATEGORY 3

375gr/ml  
100% Poliestere tinto in massa  
melange effetto bouclè  
OEKO TEST  
Classe1 - 100.000 +/- cicli Maltindale

### MELANGE

#### CATEGORY 3

390 g/lin.m  
100% Trevira CS  
Classe 1  
80.000 +/- 10% cicli Maltindale

### VELOURS

#### CATEGORY 3

611 gr/ml  
100% Poliestere  
Oeko test  
50.000 +/- 10% cicli Maltindale

### ECOPELLE SOUL

#### CATEGORY 3

760 gr/mt2  
Superficie 100% POLIURETANO,  
Base Poliestere 85%, 17% Cotone  
EN1021-1/BS5852 PART 1  
>100.000 EN ISO 5470-2

### COCOON

#### CATEGORY 5

980 gr/ml  
43% viscosa 33% cotone 24% li-pl  
35.000 +/- 10% cicli Maltindale

### LANA

#### CATEGORY 5

500 gr/mt2  
75% Lana, 25% poliammide  
Classe 1  
100.000 cicli Maltindale

### GLAMOUR

#### CATEGORY 5

700 g/lin.m  
100% Poliestere Recycled  
EN 1021-1/2  
80.000 % cicli Maltindale

### TECHNICOLOUR knodrat

#### CATEGORY 5

430 g/lin. M  
100% new English wool, worsted  
80.000 % cicli Maltindale  
Ecolabel  
Classe 1

### MAIN LINE camira

#### CATEGORY 5

437 g/lin.m  
75% Lana Vergine, 25% Lino  
Classe 1, Ecolabel  
50.000 +/- cicli Maltindale

### PELLE

#### CATEGORY 5/6

620 g/lin.m  
100% Pelle bovina  
Classe 1, EN 1021-1/2

### PELLE PREMIUM UP/ELEGANCE

#### CATEGORY 7

100% Pelle bovina Primo fiore  
Spessore 1,2/1,4 mm  
EN1021-1/2

### MONOCHROME SETT camira

#### CATEGORY 7

437 g/lin.m  
75% Lana Vergine, 25% Lino  
Classe 1, Ecolabel  
50.000 +/- cicli Maltindale

### BOUCLET RUBELLI

#### CATEGORY 7

860 g/lin.m  
40% PC, 25% PL, 20% VI, 15% CO  
Classe 1, EN 1021-1/2  
50.000 % cicli Maltindale

### VELLUTO DECONTRACTE' RUBELLI

#### CATEGORY 7

590 g/lin.m  
19% CO, 61% PC, 10% PL, 10% VI  
40.000 % cicli Maltindale

### HORO RUBELLI

#### CATEGORY 7

495 g/lin.m  
44% PL 29% CO 24% JU 3% PC  
30.000 % cicli Maltindale

### PELLE SETA

#### CATEGORY 8

100% Pelle bovina SPESSORE 1,8-2 mm  
Primo fiore CONCIA ALL'ANILINA  
EN1021-1/2

### ZERO

#### CATEGORY 8

750g/lin.m  
65% CO, 20% PAN, 15% PES  
70.000 % cicli Maltindale

### RETE GABRIEL

510 g/lin.m  
100% Poliestere  
Classe 1  
70.000 +/- 10% cicli Maltindale

### RETE NEW GOAL

350 g/lin.m  
100% Poliestere  
Classe 1  
100.000 +/- 10% cicli Maltindale